

B.1. Suprascapular nerve:

History	pain in posterior and lateral of shoulder	<input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> no pain, bilateral
	shoulder weakness	<input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> full force, bilateral
Examination:	Supraspinatus	atrophy in <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral
	Infraspinatus	atrophy in <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral

B.2. Patellar Tendon:

History	Ant knee pain	<input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> no pain, bilateral
Examination:	Inferior pole	tenderness in <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral
	Patellar tendon	tickening in <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral

B.3.Scapula examination

dyskinesia	right	left	Normal, bilateral
Superomedial border prominence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inferomedial border prominence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Medical border	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

B.4.Proneal tendon:

History	lateral ankle pain	<input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> no pain, bilateral
	retromalleolar	<input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> no pain, bilateral

	Swelling		
Examination:	peroneal tendons:	Tenderness <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral
		Swelling <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral
		Crepitus <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral
	passive inversion	Pain <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral
	resisted eversion	Pain <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral

B.5. Pars interarticularis:

History	unilateral low backache	<input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> no pain, bilateral
	Hyperextension precipitated the pain.	<input type="checkbox"/> yes	<input type="checkbox"/> no
Examination:	extension with rotation	Pain <input type="checkbox"/> right <input type="checkbox"/> left	<input type="checkbox"/> normal, bilateral
	Lordotic posture	<input type="checkbox"/> yes	<input type="checkbox"/> no
	tenderness	<input type="checkbox"/> right <input type="checkbox"/> left Level:.....	<input type="checkbox"/> no pain, bilateral

B.6.Shoulder Tests

Test	right	left	Normal,
------	-------	------	---------

			bilateral
O'brien	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Impingment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hawkins	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Drawer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Apprehension	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inf. instability	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Infraspinatus trigger points			